



- HOSEBED CAPACITIES**
- ① 200' OF 2.50" D.J. POLY HOSE
 - ② 700' OF 5.00" D.J. POLY HOSE
 - ③ 500' OF 2.50" D.J. POLY HOSE

ALUMINUM BODY MAXIMUM O.A.L. 437.50" MAXIMUM O.A.H. 132.00" SIDE ROLL AND FRONTAL IMPACT PROTECTION

NOTE
DIMENSIONS SHOWN ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS AS MAY OCCUR OR BE NECESSARY IN CONSTRUCTION. MINOR DETAILS NOT SHOWN.

- 1. BATTERY CHARGER/COMPRESSOR LOCATED BEHIND THE DRIVER'S SEAT
- 2. DUAL L.E.D. LIGHT STRIPS LOCATED IN HOSE BED

REV	DATE	BY	CH	IMPEL
16AU624	LST	DTJ		CHASSIS DATA
12AU624	LST	DTJ		MAKE
29JUL24	LST	DTJ		PIERCE
20JUN24	LST	DTJ		MODEL
05APR24	LST	EGO		

		JOB NO.	38791
		SCALE	1:24
TITLE 2000GPM, 530 GAL TANK, 500GAL WATER, 30 GAL FOAM 152" BODY, MUX	FOR CITY OF BISMARCK FIRE DEPARTMENT BISMARCK, NORTH DAKOTA	DRAWN BY	LST
		CHECKED BY	SJS
DWG NO.	38791AD	SHEET SIZE	D
		SHEET NO.	1 OF 1